



JUNIOR **SALOON CAR** CHAMPIONSHIP
2021 Junior Saloon Car Championship



Organised by:

The British Automobile Racing Club

Thruxton Circuit, Andover, Hampshire, SP11 8PN

Published Copy – 15 Mar 2021

1. SPORTING REGULATIONS – GENERAL

1.1 TITLE & JURISDICTION:

The Junior Saloon Car Championship is organised and administered by the British Automobile Racing Club on behalf of the commercial rights holder Junior Saloon Car Championship Limited in accordance with the General Regulations of the Motorsport UK Association Limited (incorporating the provisions of the International Sporting Code of the FIA) and these Championship Regulations ('the Championship').

The Championship Regulations comprise of these Sporting and Technical Regulations together with all and any amendments alterations or supplements thereto issued and/or published and/or promulgated by or with the authority of the Organisers together with all and any Supplementary Regulations for Championship events and any Final or other event Instructions issued and/or published.

Motorsport UK Championship Permit No:	CH2021/YD003 (D)
Race Status:	Interclub
Motorsport UK Championship Grade:	Grade D

1.2 OFFICIALS:

1.2.1	Co-ordinator:	David Wheadon
1.2.2	Championship Administrator:	David Beecroft
1.2.3	Championship Clerk of the Course:	Vickie MacClinton
1.2.4	Championship Technical Director:	Ralph Saunders
1.2.5	Licensed Eligibility Scrutineer:	Keith Auld
1.2.6	Championship Stewards:	Dale Wells Dennis Carter Pat Blakeney Ian Watson

Any three of the Championship Stewards may sit to make a decision. In accordance with G2.7, Championship Stewards may only adjudicate on any disputes, irregularities or appeals arising from the approved Championship regulations. Under G2.7.1, Championship Stewards are also empowered to consider any request from the Championship co-ordinator to penalise any Competitor for any breach of Championship regulations after holding a formal hearing to impose a penalty in accordance with C.2.1.1 (subject to the rights of appeal provided for in Section C). Under W2.2.1, the Championship Stewards can only adjudicate upon any disputes, irregularities or appeals arising from the approved Championship Regulations. They are also empowered to consider any request from the Championship Co-ordinator to penalise any Competitor for breach of Championship Regulations and after holding a formal hearing, to impose a penalty in accordance with C.2.1, subject to the rights of appeal to the MSC provided in Section C.

1.3 COMPETITOR ELIGIBILITY:

- 1.3.1 Entrants must:
- (a) be current members of the BARC and
 - (b) be Registered for the Championship and
 - (c) be in possession of a valid Motorsport UK Entrants Licences.
- 1.3.2 Drivers and Entrant/Drivers must:
- (a) Drivers are eligible to register for the Championship once they have attained the age of 14. Drivers whose 17th birthday is on or after the 1st January in the current year of the Championship are eligible for the whole of that racing season.
 - (b) be current racing members of the BARC and

- (c) be Registered for the Championship and
- (d) hold a valid Race Club Licence (Junior Formulae only). This licence will be held by the BARC and is only valid for competing in Motorsport UK sanctioned "Junior" Formulae events.
- (e) If participation in the Championship requires absence from education a driver, in full time school education is required to have the approval of their head teacher and a letter stating such approval from their school in order to fulfil registration for the Championship. A driver shall not take time out of their education to participate in motor sport without the prior written approval of their education establishment.

1.3.3 All necessary documentation must be presented for checking at all rounds when signing-on. This will include both the competition licence and club membership card.

1.4 REGISTRATION:

1.4.1 All drivers must register for the Championship by returning to the Coordinator prior to the Final Closing date for the first round being entered the Championship Registration Form which has been completed by them and by the competitor's Parent/Guardian/Guarantor together with payment of the Registration Fee.

1.4.2 The Parent/Guardian/Guarantor named on the registration form is required to attend all Championship races entered by the driver and must sign on in that capacity. Any proposed change of registered Parent/Guardian/Guarantor must be the subject of permission applied for in writing to the BARC Co-ordinator prior to any act of signing on (force majeure excepted).

1.4.3 The Championship Registration Fee as £800 payable to "Junior Saloon Car Championship Ltd" upon registration.

1.4.4 Registrations will be accepted from 1st January 2021 until the closing date for the last round of the Championship.

1.4.5 Registration numbers will be allocated by the BARC and shall be the permanent Competition number for the Championship.

1.4.6 Should any driver wish to change their vehicle from the one originally registered for the current season it must be a permanent change and application for permission must be made to Co-ordinator (1.2.2) together with a completed Registration Form and (additional) Registration Fee in the sum of £250 to "Junior Saloon Car Championship Ltd". Only one vehicle per competitor may be registered at any one time.

1.4.7 If a vehicle is to be used by several drivers, then each additional driver will be required to pay a £250 registration fee to "Junior Saloon Car Championship Ltd" upon Championship registration.

1.5 CHAMPIONSHIP EVENTS:

The Championship is scheduled to be contested over 20 Rounds at 9 Meetings as follows:

ROUND	DATE	CIRCUIT	CLUB
1 / 2	24/25 April	Cadwell Park	BARC
3 / 4	8/9 May	Snetterton 300	BARC
5 / 6	19/20 June	Knockhill	KMRC
7 / 8	3/4 July	Snetterton 300	BARC
9 / 10	31 July / 1 August	Brands Hatch Indy	BARC
11 / 12 / 13	21/22 August	Silverstone Nat	BARC
14 / 15 / 16	9/10 October	Pembrey	BARC
17 / 18	23/24 October	Donington Park GP	BARC
19 / 20	6/7 November	Brands Hatch Indy	BARC

- 1.5.1 In accordance with Motorsport UK regulation D.11.2 & Q.7.11. the organisers reserve the right to amend the published list of dates and rounds, in which case, all registered competitors will be informed of the amendments by Official Bulletins posted to the address specified on the Official Registration Form.

1.6 SCORING:

- 1.6.1 Points will be awarded to Competitors listed as starters or classified finishers who have entered into the round in the Final Results as follows:

1st 25; 2nd 22; 3rd 20; then reducing by 1 point per place down to 3 points for 20th ; all other finishers 2 points; all non-finishers 1 point. Fastest race lap 1 point. The number of starters or finishers shall not affect the allocation of Championship points per race.

- 1.6.2 Double points will be awarded for the final races at the last event of the season.

- 1.6.3 The final Championship positions shall be determined by the total points accrued from all qualifying rounds run excluding any races which are abandoned by the Organisers and not replaced. Final Championship positions shall be subject to the conclusion of all Judicial procedures.

- 1.6.4 Ties will be resolved in accordance with Motorsport UK General Regulation W1.3.4.

1.7 AWARDS:

- 1.7.1 All awards except garlands shall be provided by the Commercial Rights Holder.

- 1.7.2 Per Event: A garland will be presented to the winner of each race by BARC and position trophies for the 1st, 2nd and 3rd places.

- 1.7.3 Championship: A trophy will be awarded to the overall Championship winner. Any driver failing to attend the BARC Championship prize-giving at the end of season (date and venue to be announced by BARC) may not be eligible to receive any prizes which may have otherwise have been presented at this function. Such prizes may be withheld and not be represented to any other driver.

- 1.7.4 Bonuses: Per Round: None
Championship: None

- 1.7.5 Presentations:
Garlands and trophies are to be presented after each race.

- 1.7.5 Entertainment Tax Liability:
N/A

- 1.7.6 Title to all Trophies:
If Provisional Results or Championship Tables are revised after any presentations and these revisions affect the distribution of awards the Competitors concerned must return them to the organisers in good condition within 7 days.

2. JUDICIAL PROCEDURES

- 2.1.1 Rounds: In accordance with the current Motorsport UK Yearbook and 4.2 of these regulations.
- 2.1.2 Championship: In accordance with the current Motorsport UK Yearbook and 4.2 of these regulations.
- 2.1.3 By registering for the Championship all competitors, and their associates, commit to the Motorsport UK Race 'n' Respect campaign and agree to positively promote and demonstrate the Racing Code, which is appended to these regulations.
- 2.1.4 Where any reports of disrespectful conduct are judged to be well founded the Championship Organisers may issue warnings or require remedial actions and/or report the matter to the Championship Stewards who may impose appropriate penalties which can include loss of Championship points and/or race bans through to Championship Expulsion and referral to the Motorsport UK.

3. CHAMPIONSHIP RACE MEETINGS & PROCEDURES

3.1 ENTRIES:

- 3.1.1 Competitors are responsible for sending in correct and complete entries, with the correct Entry Fee, to the Championship Coordinator at the BARC prior to the closing of entry dates as per the entry forms. The Entry forms are available on the website www.barc.net or www.juniorsalooncars.co.uk
- 3.1.2 The Championship Entry Fee is £4950.00; this is payable in full in 2 parts. The first part in the amount of £2475 must be paid no later than Friday 1st March 2021 and the balance in the amount of £2475 must be paid in full no later than Friday 31st May 2021. Payment must be made to the BARC by debit / credit card or bacs transfer.
- 3.1.3 Entry on a round by round basis is permitted with the entry fee per meeting set at £575 and there will be a surcharge of £30 for a late entry (within ten days prior to the meeting). Payment must be made to the BARC using the BARC on-line entry system.
- 3.1.4 Incorrect or incomplete entries (including driver to be nominated entries or those without a payment) shall be held in abeyance until they are complete and correct and the date of receipt for acceptance of entry purposes shall be the date on which the Secretary of the Meeting receives the missing or corrected information. No entry will be capable of acceptance until the Championship Registration Fees in accordance with Championship Regulations 1.4.3, 1.4.6 and 1.4.7 (as applicable) together with the Championship Entry Fee in accordance with Championship Regulations 3.1.2 and 3.1.6 have been paid and received as cleared funds.
- 3.1.5 Any withdrawal of entry or driver/car changes made after acceptance of any entry must be notified to all of the BARC Coordinator and the Secretary of the Meeting in writing. If driver/vehicle changes are made after the publication of Entry Lists with Final Instructions, the Competitor concerned will be accepted in accordance with D25.1.12 but always subject to any applicable fees payable and being paid and pursuant to section 1.4 of these Regulations.
- 3.1.6 In the event of any rounds being oversubscribed the Organising Club may, in liaison with the Coordinators, at their discretion run Qualification races.
- 3.1.7 Where applicable Reserves are to be nominated on the Final List of Entries published with the Final Instructions or Amendment Sheet Bulletins. Reserves will practice and replace non-qualified (including drivers practising out-of-session or qualifying by virtue of having raced at the circuit within the previous 12 months), withdrawn or retired entries in Reserve Number order irrespective of class. If reserves are given Grid Places prior to issue of the first Grid Sheets for any round, the times set in practice shall determine their grid positions. If Reserves are given places after publication of the grid sheet and prior to cars being collected in the Official "Assembly Area" they will be placed at the rear of the grid and be started without any time delay. Otherwise, they will be held in the pit lane and be released to start the race after the last car to start the Green Flag Lap or last car to take the start has passed the start-line or pit lane exit whichever is the later. Such approval to start must be obtained from the Clerk of Course.
- 3.1.8 Acceptance of Entries: Up to Closing Day, The Organisers may accept up to the maximum number of starters permitted on the Track Licence for the circuit ("the maximum"). If entries received by the Closing Day exceed the maximum, selection will be made in order of receipt. Those in excess of the maximum and up to 20% more will be treated as 'reserves'. If the maximum has not been reached by the Closing Day, entries received after that date will be accepted strictly in order of receipt until the maximum is reached.

3.2 BRIEFINGS:

Organisers shall notify competitors of the times and locations for all briefings in the Final Instructions or Official Race Day Bulletins for the meetings. Competitors must attend all briefings. Non-attendance will result in a fine of up to £180 payable by the Parent/Guardian/Guarantor signed on at the relevant Event. For the avoidance of doubt such fines are passed to Motorsport UK.

3.3 PRACTICE / QUALIFICATION:

Practice sessions will be as per Motorsport UK Regulations Q.12.4. Should any practice or qualifying session be disrupted the Clerk of the Course shall not be obliged to resume the session or re-run sessions to achieve the championship criteria and the decision of the Clerk of the Course shall be final.

3.4 QUALIFICATION CRITERIA:

Each driver should complete a minimum of 3 laps practice in the car to be raced and in the correct session in order to qualify for selection and order of precedence as set out in Motorsport UK regulations Q.12.4. Drivers practising out-of-session or qualifying by virtue of having raced at the circuit within the previous 12 months will be placed at the back of the grid. The Clerk of the Course and/or Stewards of the Meeting shall have the right to exclude any driver whose practice times or driving are considered to be unsatisfactory as per Motorsport UK Regulation Q.12.4.

3.5 RACES:

The standard minimum scheduled race distance shall be 15 minutes plus 1 lap but should any race distance be reduced at the discretion of the Clerk of the Course or Stewards of the Meeting or by inadvertent display of the race finishing flag signals it shall still count as a full points-scoring round.

3.6 STARTS:

Unless modified by any published BARC Supplementary Regulations, the following regulations shall apply:

3.6.1 There will be a minimum elapsed period of 3 minutes from cars being released from the Assembly Area to the start of the race or, if applicable, the green flag lap.

3.6.2 Start Procedure: In normal circumstances there will be a green flag lap. A 'two minute' board will be shown on the startline; engines should be started at this stage and the grid cleared of any pit crew. A 'one minute' board will be shown, followed by a '30 second' board; a '5 second' board will be displayed; approximately 5 seconds after this board is withdrawn the red lights will be switched on; after between 2 seconds and 7 seconds they will be switched off to start the race. In the event of the failure of these lights a National Flag will be used to start the race.

In circumstances where a green flag is used, it will be waved from the startline to commence the green flag lap. The pole position driver should set a reasonable pace during this lap and slow down on approaching the startline to allow the grid to close up. Drivers should resume their correct grid positions with the minimum of delay. Any drivers unable to start the green flag lap or start the race are required to indicate their situation as per Motorsport UK regulation Q12.11.2. Drivers may make up any lost grid position during this green flag lap, BUT any drivers unable to maintain grid position to the extent that ALL other cars are ahead of them, may complete the green flag lap but MUST remain at the rear of the last row of the grid but ahead of any cars to be started with a time delay

A '5 second' board will be displayed when the grid is stationary. Approximately 5 seconds after this board is withdrawn the red lights will be switched on; after between 2 seconds and 7 seconds they will be switched off to start the race. In the event of the failure of these lights a National Flag will be used to start the race.

3.6.3 Any car removed from the grid or driven into the pits after leaving the Assembly Area shall be held in the pit lane and may start the race after the last car to take the start from the grid has passed the startline or pit exit lane whichever is the later.

- 3.6.4. Excessive weaving to warm-up tyres - using more than 50% of the track width - and falling back in order to accelerate and practice starts, is prohibited.

3.7 SESSION RED FLAG:

- 3.7.1 Should the need arise to stop any race or practice, red lights will be switched on at the Startline and red flags will be displayed at the Startline and at all Marshals Signalling Points around the Circuit. This may be supplemented by the showing of red lights around the circuit.

This is the signal for all drivers to cease circulating at racing speeds, to slow to a safe and reasonable pace and to return to the pit lane, during practice, and to the starting grid area, during a race, unless otherwise directed by officials.

- 3.7.2 Cars may not enter the Pits unless directed to do so or repairs are necessary. Work on cars already in the Pits must cease when a race is stopped and may only continue under the control of a Scrutineer. Cars which are in the pit-lane or who enter the pit-lane may only re-start from the pit-lane (not the grid) after all other cars have re-started. Non-runners at the time of the stoppage (which have been recovered) can re-start from the pit-lane behind those referred to above.

- 3.7.3 Case A: Less than two laps completed by Race leader.

The Race will be null and void. The race will restart from the original grid positions. Competitors unable to take the restart may be replaced by reserves who will start from the back of the grid in reserve order. Gaps on the grid should not be closed up. The length of the restarted race will be determined by the Clerk of the Course.

- 3.7.4 Case B: More than 2 laps completed by Race leader but less than 75%.

The race will restart from a grid set out by the finishing order of part one (as per Q.12.15). The result of the race will be the finishing order at the end of part two. The length of the restarted race will be determined by the Clerk of the Course.

- 3.7.5 If the leader has completed more than 75% of the race distance or duration, it shall not be restarted and the results will be declared in accordance with Motorsport UK Regulation Q.12.15, unless the Clerk of the Course in consultation with the Stewards deem it appropriate to restart the race.

3.8 RE-SCRUTINY:

All vehicles reported involved in contact incidents during races or practice must be re-presented to the Scrutineers before continuing in the races or practice.

3.9 PITS, PADDOCK & PITLANE SAFETY:

- 3.9.1 Pits & Paddock: Competitors must ensure that the Motorsport UK, Circuit Management and Organising Club Safety Regulations are complied with at all times. In addition, any paddock plan issued by the Organisers must be complied with and the minimum amount of space should be used when setting up.

- 3.9.2 Pit lane: The outer lane or lanes are to be kept unobstructed to allow safe passage of cars at all times. The onus shall be on all Drivers to take all due care and respect the pit lane speed limits. No-one under the age of 16 is permitted access to the pit lane unless they are the holder of a Motorsport UK Junior Race licence

- 3.9.3 Refuelling: May only be carried out in accordance with the Motorsport UK General Regulations, the Organising Club Regulations, Circuit Management Regulations and the SRs or Final Instructions issued for each Circuit/Meeting.

- 3.9.4 Speed Limit Pit Lane Speed Limit will be 60 k.p.h.

3.10 RACE FINISHES:

After taking the Chequered Flag drivers are required to:

- a) progressively and safely slow down
- b) remain behind any competitors ahead of them,
- c) return to the Pit Lane Entrance/Paddock Entrance as instructed,

- d) comply with any directions given by Marshals or Officials,
- e) keep their helmets on and harnesses done up while on the circuit or in the pit lane,
- f) place their car into the Parc Fermé where it must remain until released by the Championship Eligibility Scrutineer or his deputy.
- g) Attend any podium presentation that may be required.

3.11 RESULTS:

All Practice Timesheets, Grids, Race Results are to be deemed Provisional until all vehicles are released by Scrutineers after Post Practice/Race Scrutineering and/or after completion of any Judicial or Technical Procedures after the last race of the season (Motorsport UK regulation D26.3).

3.12 TIMING MODULES:

It is the Competitors responsibility to ensure that a working transponder is fitted to the vehicle in accordance with Q.12.8.1. No electronic equipment may be placed within five metres of any official timing line and any breach of this may result in the confiscation of the equipment concerned.

3.13 QUALIFICATION RACES:

There is no provision for qualification races within this championship except where the grid is oversubscribed at the date for the closing of entries.

There may be occasions when, due to circumstances on the day, a scheduled race is not run, a race meeting is abandoned or the circuit curfew is reached. The BARC will use its best endeavours to find space in another race meeting in the same season in order to run a replacement championship round; preference will be given to a race meeting where the affected formula is already scheduled to race. No change of vehicle will be permitted.

If a race is 'red flagged' twice the Clerk of Course may decide to rerun the race on the same day subject to circuit curfew but is not obliged to do so. If the decision is taken that it should not be rerun on the day or it cannot because of circuit curfew, it will be considered an abandoned race and the number of championship scoring rounds will be adjusted accordingly.

The cancellation abandonment re-scheduling or curtailment due to curfew of any scheduled Championship race(s) shall not howsoever entitle any competitor to any refund of either Championship or race entry fee(s).

3.14 ADDITIONAL SPORTING REGULATIONS ISSUED FOR THE CHAMPIONSHIP

- 3.14.1 All competitors (for this clause 3.15 meaning Entrants, Parents and Drivers) undertake with the Organisers to respect and uphold at all times the Regulations of the Championship including the Championship Commercial Undertakings which are a material term of the Championship. It is acknowledged and agreed by Competitors that all and any amendments to Championship Regulations including any Supplementary and or Final Instructions to competitors may be published only electronically on any of the Organisers' / Championship website(s) and that it is the responsibility of competitors to ensure awareness of and conformity with all Championship Regulations. Any driver competing in the Championship may be called before a meeting of the Championship Stewards who, at their discretion, may take further action that could include disqualification from part or all of the Championship.
- 3.14.2 The Organisers may use any evidence available to them to request that the Championship Stewards investigate any drivers who are deemed to show poor driving standards or bring the championship into disrepute in any such manner through on and / or off track incidents. This may include but is not limited to any complaints made officially by registered competitors.
- 3.14.3 Championship Stewards are also empowered to consider any request from a Championship coordinator to penalise any Competitor for any breach of Championship regulations and, after holding a formal hearing if they deem it necessary, to impose a penalty in accordance with Motorsport UK Regulation C2.1.1 (subject to the rights of appeal provided for in Section C).

- 3.14.4 The Organisers acting through any Official of the Meeting are empowered to demand from any competitor (Entrant and/or Driver) the surrender and delivery up to the Organisers of any moving image evidence and its related recording device for the purposes of establishing conformity with driving standards. Failure to so deliver up and/or surrender the said moving image evidence and/or device(s) shall entitle the Organisers acting through the Judicial officials of the event and/or Championship to exclude the relevant competitor from the relevant event and/or Championship results. For the avoidance of doubt all cameras and recording equipment fitted to cars are deemed to be under the control of the Organisers with effect from signing on at each Championship race event.
- 3.14.5 One or more of the following may be imposed by the Championship Stewards as appropriate:
- Reprimand.
 - Fine. This may be also applied in the case of a driver receiving three reprimands from the Championship Stewards in one season.
 - Time Penalty.
 - Suspension and/or Disqualification from all or part of the Championship.
 - Disqualification.
- 3.14.6 The consumption of alcohol or drugs by competitors is strictly prohibited during a meeting and will result in disqualification and/or disqualification from the Championship. For the avoidance of doubt the meeting will be deemed to start when the competitor signs on and finishes after the conclusion of judicial action after the final race of the weekend.
- 3.14.7 Competitors must at all time respect the property belonging to the Organisers and Commercial rights holders. Failure to do so may incur fines and/or further penalties.
- 3.14.8 Teams running and preparing cars for competitors must provide proof of public liability insurance (£10 million) to the Junior Saloon Car Championship Ltd.

3.15 MOTORSPORT UK RACING CODE:

By registering for the Championship all competitors, and their associates, commit to the Motorsport UK Race 'n' Respect campaign and agree to positively promote and demonstrate the Racing Code, which is appended to these regulations. Where any reports of disrespectful conduct are judged to be well founded the Championship organisers may issue warnings or require remedial actions and/or report the matter to the Championship Stewards who may impose appropriate penalties which can include loss of Championship points and/or race bans through to Championship Expulsion and referral to the Motorsport UK.

The racing code means that certain standards of behaviour are expected from everyone involved, for example:

- Everyone should recognise that there are different groups within the racing family who should all be treated appropriately.
- Everyone should create a welcoming, friendly and safe environment and at all times be treated politely, fairly and with respect.
- Young drivers should be encouraged to have fun and enjoy racing without having pressure put upon them to win and to recognise the benefits of junior racing such as skill acquisition.
- Respect should be shown to all competitors and their families, applauding their success and respecting the decisions made by officials.
- Drivers will race for enjoyment, trying their best at all times while racing fairly, being polite and treating everyone with respect, not showing off when they win and not getting upset if they don't win.
- Teams accept that racing is primarily about enjoyment not putting pressure on young racers and encouraging them all to respect the rules and the authority of officials.
- No-one will encourage a racer to break or bend the rules or drive in a manner that could cause injury to themselves or others.

- h) Everyone must avoid public criticism of an event, organiser, officials or their decisions, including through social media, as this could be seen as detrimental to those involved at all levels and to the sport as a whole.

Full details of the “race ‘n’ respect” campaign are provided as Section 7 of these regulations.

3.16 OPERATION OF SAFETY CAR:

The Safety Car will be brought into operation and run in accordance with Section Q, Appendix 3 of the Motorsport UK General Regulations.

3.17 ONBOARD CAMERAS:

Cameras must be fitted to vehicles provided that the camera fitment is approved by the Scrutineer and that any footage obtained is not for commercial use. The Clerk of the Course and the Stewards may make use of any such footage in reaching their decisions on any judicial matters.

The mandatory judicial cameras must be purchased from the Championship Organiser, no other suppliers will be permitted. The SD cards will be supplied by the Championship. SD cards will be collected by the Championship Administrator (or appointed deputy) in Parc Fermé at the end of each session. Competitors or teams must not touch the SD card at any time.

The first camera fitted must be positioned in such a way to show a forward-facing image where you are able to see the bonnet of the car and the drivers’ steering wheel. A second camera must be positioned in such a way as to show the view out of the rear of the car. If the views are not as required by the Clerk of the Course they may order that the camera be repositioned. Additional cameras may be fitted to give other views in and around the car. Each camera must be recording for the duration of each on-track session. Failure to have any camera functioning correctly and giving a clear image may be subject to penalties as seen fit by the Clerk of the Course.

3.18 TESTING RESTRICTIONS

It is not permitted for any Competitor to test at the venue within the period of 14 days prior to the championship event taking place at that venue. The only exceptions to this rule are a) when testing is scheduled to take place at the venue for all “junior” drivers and b) prior to the first round of the season.

4. PENALTIES

All penalties will be in accordance with Section C of the current Motorsport UK Yearbook and these Regulations.

4.1 Infringements of Technical Regulations:

4.1.1 Arising from post practice Scrutineering or Judicial Action:

Minimum Penalty: The provisions of Motorsport UK Regulations: C3.3.

4.1.2 Arising from post-race Scrutineering or Judicial Action:

Minimum Penalty: The provisions of Motorsport UK Regulations: C3.5.1 (a) and (b).

For infringements deemed to be of a more serious nature the Clerk of the Course may invoke the provisions of Regulation C3.5.1 (c). However, if the Clerk of the Course believes that there is some mitigation surrounding the infringement then C3.5.1 (c) need not be implemented.

4.2 All infringements of non-technical Motorsport UK Regulations and the Sporting Regulations will be dealt with in accordance with these Championship Regulations and the General Regulations of the Motorsport UK.

4.2.1 If a driver is disqualified from a race then the fact of disqualification from that race will still count as a championship score of zero and the Clerk of the Course has the discretion to refer the matter to the Championship Stewards for consideration by them of imposition of further or additional penalties as provided by GR C.2.1 (a) & (d) and further the Championship Stewards hereby have the additional authority to impose a penalty as though they were empowered by virtue of GR C.2.1 (e) to suspend a competitor's participation in the Championship for a stated period. Penalties imposed by the Championship Stewards carry the rights of appeal provided by the GR.

4.2.2 In order to maintain standards of conduct, the Championship Organisers will monitor all Officials/Observers reports of adverse behaviour at race meetings. If any individual is included on two such reports during one racing season the Championship Organisers will request the Clerk of Course at future race meetings to consider specific observation of that driver's conduct.

4.2.3 Motorsport UK Regulation D13.1.1: If I am the Parent/Guardian/Guarantor of the driver, I understand that I shall have the right to be present during any procedure being carried out under the Supplementary Regulations issued for this event and the General Regulations of the Motorsport UK. As the Parent/Guardian/Guarantor I confirm that I have acquainted myself with the Motorsport UK General Regulations, agree to pay any appropriate charges and fees pursuant to those Regulations (to include any appendices thereto) and hereby agree to be bound by those Regulations and submit myself without reserve to the consequences resulting from those Regulations (and any subsequent alteration thereof). Further, I agree to pay as liquidated damages any fines imposed upon me to the maxima set out in Appendix 1 of the Motorsport UK Yearbook.

4.2.4 Any Competitor who is penalised under the Championship Sporting Regulations at any stage of a Championship event and receives an allocation of penalty points on their race licence in accordance with Motorsport UK regulations, will - subject to any outstanding Appeal to the Stewards of the Meeting and / or MSC (ASN) National Court- receive a grid slot penalty at the next round in which they compete following the allocation of penalty points, equal to the number of penalty points which were allocated. Double headers will be considered as two separate rounds; however, if the decision to allocate penalty points is delayed such that further round/s of the Championship have taken place since the offence, the grid slot penalty will be implemented at the next round in which they compete after the allocation of the penalty points.

The penalty will mean that a Competitor will be moved back grid slot places from their grid position (e.g. if a Competitor with a three grid slot penalty had a qualifying time that was good enough for pole position then the Competitor will start fourth on the grid). If for any reason the imposition of this grid penalty is impractical (such as the competitor's qualifying time, starting from the pit lane etc.) or the offence occurs at the final meeting of the season, a time penalty of 5 seconds will be added to the elapsed race time of the competitor. In the case of any outstanding Appeal being determined against the competitor but after the final Championship race event then the competitor shall have 5 seconds added to the elapsed race time of that competitor in

the final Championship race in which the competitor took part and which event must count as a scoring Championship race.

- 4.2.5 Additional specific Championship penalties as per 3.15 of these regulations.
- 4.2.6 The attention of competitors is specifically drawn to GR Q.12.21.1, Q.12.21.2 and Q.12.21.4 in relation to driving standards, track limits and penalties available for any breaches.

5. TECHNICAL REGULATIONS

5.1 INTRODUCTION:

5.1.1 The following Technical Regulations are set out in accordance with the Motorsport UK specified format and it should be clearly understood that if the following texts do not clearly specify that you can do it, you must work on the principle that you cannot. The fact that some modifications are mentioned as prohibited does not imply that others are allowed. The Regulations must be read as a whole.

5.1.2 **STANDARD:** The word 'standard' used within these technical regulations as a description of components is to be interpreted as per 'Standard Part' defined in Section B – Nomenclature & definitions in the Motorsport UK Yearbook, for the UK specification Citroën Saxo VTR for body shells up to and including 2003 including roller rocker engine model. Checking will be by comparison to spare parts supplied by the manufacturer's official agent or by any other means necessary to ensure compliance.

5.1.3 **STANDARD PATTERN:** The words 'standard pattern' used within these technical regulations as a description of components is to be interpreted as 'Standard Pattern Part' defined in Section B – Nomenclature & Definitions in the Motorsport UK Yearbook for the UK specification Citroën Saxo VTR for body shells up to and including 2003 including roller rocker model and is constructed using the same materials and manufacturing processes.

5.1.4 **SEALING OF COMPONENTS:** The Organisers reserve the right to have any component of the vehicle sealed and to substitute replacement 'control' parts to permit those removed to be checked for eligibility. Before competing in any Championship event, the engine and gearbox must be checked and sealed.

The details of sealing requirements and the consequences of failure to maintain sealed conditions are in sections 5.7 and 5.9 and 5.18 of these Championship technical regulations.

5.1.5 **ELIGIBILITY CHECKING:** The Organisers are empowered within the Motorsport UK Yearbook to undertake checks relating to eligibility as they see fit. This will include checks made during or after each event and will include their ability to impound any vehicle or vehicles after an event and then transport that vehicle to a particular site where various checks will be carried out.

5.2 GENERAL DESCRIPTION:

The Championship is for Competitors participating in right-hand drive UK specification Citroën Saxo VTR for body shells up to and including 2003 including Mark 2 engine roller-rocker model with bodywork modifications as per 5.6. Except as provided by these Regulations for all Technical & Eligibility purposes the Citroën Saxo VTR will conform to the following Vin Code: VF7S6NFZF56270977. There are no restrictions on the trailering of cars to/from the circuit. All vehicles must be of sound construction and mechanical condition and be well maintained. There is no requirement for an MOT Certificate, Road Tax or Insurance.

Vehicles must be in compliance with the applicable Motorsport UK Junior Race Vehicle Identity Form (JRVIF) and be issued with a Motorsport UK Vehicle Passport, with which it must also comply.

5.3 SAFETY REQUIREMENTS:

Motorsport UK Section K Safety Criteria Regulations will apply.

5.3.1 **Maximum driver escape time:** Drivers must be able to vacate the car within 10 seconds as per specified in the current Motorsport UK Yearbook, section J5.19.2. Other Safety Requirements are specifically covered below.

5.3.2 **Roll over protection:** All cars must be fitted with the roll over protection system (roll cage) designed for the Championship by Custom Cages of Daventry. This roll cage complies with FIA Appendix J. Article 253.8.2 & 253.8.3 and the door bars comply with FIA Appendix J. Article 253-8.2.1.4. The ROPS system complies with drawing numbers: 253-3, 253-4, 253-8, 253-9A, 253-11, 253-13, 253-14 and 253-17-A.

- 5.3.3 The roll cage must be fitted by either Custom Cages of Daventry or an alternative manufacturer authorised installer who has been approved in advance by the Assistant Championship Coordinator. The installer will issue a certificate of compliance after completion.
- 5.3.4 Where the occupants' bodies could come into contact with the safety cage, FIA-approved non-flammable padding must be provided for protection.
- 5.3.5 Where the driver's crash helmet could come into contact with the safety cage, the padding must comply with FIA standard 8857-2001, type A (strongly recommended), or with FIA standard 8857-2001 type B or SFI specification 45.1. (minima) (see technical list n°23 "Roll Cage Padding Homologated by the FIA").
- 5.3.6 **Harness:** A 6 point safety harness in accordance with FIA 8853-2016 or with FIA Appendix J Article 253-6 and FIA approved for use with an 'FHR' System is mandatory. These belts comply with FIA D130T/98 & FIAD 133P/98. (The 'FHR' system must also be used – see (g) Safety Helmets, below). The safety harness mounting points must be those installed by Custom Cages of Daventry, to FIA approved standards; these will be fitted at the same time as the roll cage. No other safety harness mounting points may be used.
- 5.3.7 **Driver's seat:** The only permitted seat is one which is currently Homologated in accordance with either standard FIA 8855-1999 or FIA 8862-2009. The seat must be fully FHR compatible and must only be mounted to the plates supplied and fitted by Custom Cages of Daventry or an alternative manufacturer/installer who has been approved by the JSCC and which comply with FIA Appendix J Article 16 Homologation and will be fitted at the same time as the roll cage.
- 5.3.8 **Fire Extinguisher:** The only acceptable extinguisher is one which is currently homologated by the FIA which must be a 4 or 4.25 litre, 4 outlet, 'plumbed-in' system. Its operation may be either mechanical or electronic. This must be mounted in compliance with the manufacturer's instructions. The 'over-centre' locking clips on the extinguisher mounting should be secured with lockwire or similar.
- 5.3.9 **Safety Fuel Tank:** The use of a manufactured safety tank, complying with FIA Appendix J Article 253 - 14, is mandatory.

The parts may be purchased direct from ATL Tel 01908 351700.

<u>Part No.</u>	<u>Description</u>
SA-AA-030	20L ATL SAVER CELL
CL-AA-077	Internal corner collector
EL-AA-001	2 pin clubman electrical bulkhead connector
FL-AF-003	Spill tray
TF-AA-204 - 6	bulkhead adapter

(It is highly recommended that the optional fuel cell inner baffle be fitted to avoid surge and that a high flow fuel filter be fitted to avoid frequent injector problems.)

Or alternatively the Fuel Safe tank through Mike Luck 01527 521050

<u>Part No.</u>	<u>Description</u>
RS105	Complete fuel cell – 5 gallon with standard fill plate SF4x6C, 6 connectors and bulkhead fitting ST100-HP. Collector/surge tank with high pressure fuel pump and wiring loom (optional)

- 5.3.10 **Overalls:** Drivers must wear overalls as well as gloves, long underwear, a balaclava, socks and shoes/boots homologated to the FIA 8856-2000 or FIA 8856-2018 standard, as detailed in FIA Appendix L Chapter III Article 2.
- 5.3.11 **Safety Helmets:** These must be to the standards specified in the current Motorsport UK Yearbook, section K10.3.1 a (i.e. be acceptable for International and Motorsport UK events) and must incorporate an FIA approved HANS device fitted in accordance with FIA regulations. It is highly recommended that the helmet visor be fully closed whilst on circuit.

5.4 GENERAL TECHNICAL REQUIREMENTS & EXCEPTIONS:

All cars must comply with the requirements of sections J and Q of the current Motorsport UK Yearbook. Water hoses, oil hoses and their associated clips are free. Fasteners (e.g. nuts, bolts) are free. A table of technical specifications (5.18.5) has been prepared & cars must comply with those specifications. The standard screw-in front towing eye must be replaced with a towing eye in accordance with Motorsport UK Regulation Q.13.1.3 & Regulation 5.18.1.

5.5 CHASSIS:

No chassis stiffening is permitted except that as derived from the roll cage as supplied and fitted as per 5.3.2. No modifications or additions may be made to the roll cage. Seam-welding of the shell is prohibited; fitting of a rear strut brace is prohibited. The JSCC specified upper and lower strut braces must be fitted and can be purchased directly from the championship co-ordinator.

5.6 BODYWORK

The front wings, headlights, bonnet and grille must be replaced with those from the 'face-lift' model; the rear hatch and rear spoiler may also be updated but are not mandatory.

- 5.6.1 **General:** Mandatory fitment of a laminated front windscreen, heated front screens are permitted. The rear passenger windows and rear windscreen, as well as the rear-view mirrors, must be covered with a transparent and colourless (tinted is not permitted) safety film with a maximum thickness of 100 microns. It is permitted to replace the driver's side door glass with plastic in conformity with GR J.5.20.8 and incorporating a slider panel as window aperture. The standard latching and locking mechanisms together with all associated components for the bonnet and the rear hatch must be removed; both the bonnet and the rear hatch must be secured by a minimum of two surface mounted (not recessed) securing pins.
- 5.6.2 **Interior:** Passenger seat, rear seats, floor coverings, roof lining, detachable boot covers, radio/stereo units, speakers and associated wiring, spare wheel and tools must be removed. Sun visors may be removed. Additional instruments are permitted, but all standard instruments and switches must be retained in their original positions. The heater, heater motor and associated ducting must be retained and be fully operational. The central locking mechanisms including locking motors and associated wiring must be removed along with the check straps; the standard door latching mechanism must be retained, but manual interior door lock mechanisms must be disabled. The standard steering column lock and ignition key must be removed and be replaced with an ignition on/off switch and a starter button within reach of the driver when seated and belted in.
- 5.6.3 **Steering wheel** must be changed for one with a 'quick-release' mechanism; it is recommended that the steering wheel should be a minimum diameter of 33cm. (The quick release mechanism must consist of a flange concentric to the steering wheel axis, coloured through anodisation or any other durable coating, and installed on the steering column behind the steering wheel. The release must be operated by pulling the flange along the steering wheel axis.)
- 5.6.4 **Glass sunroofs** must be replaced as per Motorsport UK regulation Q.13.10.6; it is recommended that this be replaced with a steel panel. As an alternative, the entire roof panel may be replaced with a solid (non sunroof) panel from a Citroën Saxo.
- 5.6.5 **Driver's door** windows may be replaced by Perspex or Plastic with slide aperture, size of aperture to be confirmed by bulletin. Electric window winding mechanisms must be replaced by the manufacturer's manual window winding mechanisms; all windows must remain operable. The driver's door must be filled with fire-resistant energy-absorbing foam IMPAX 300 but only to a level which still permits approximately 50% vertical movement of the driver's window. In addition, a carbon side impact protection panel supplied by MCT of Daventry and showing the JSCC logo must be fitted to the driver's door in accordance with the JRVIF. Front door panels and rear passenger side panels must be replaced with aluminium sheeting - this must be executed to a high standard with no sharp edges and with smooth surface.

- 5.6.6 **Drivers window net:** A protective net is compulsory. It must meet the following specifications: The net must be made up of woven strips at least 19 mm (3/4") wide. The meshes must be a minimum of 25 x 25 mm and a maximum of 60 x 60 mm. The woven strips must be non-flammable and sewn together at each point of crossing. The net must not be of a temporary nature. The net must be attached either to the rollcage or to a fixed part of the bodywork above the driver's window, by means of a rapid release system that will function even if the car turns over. Coloured markings ("dayglow" orange).
- 5.6.7 **Exterior:** The standard exterior mirror 'pods' must be retained and used but the choice of mirror within them is free. Fog lights may be removed and the holes used for brake ducting (the holes may not be covered over). An additional mirror may be fitted to the passenger door. Plastic front wheel arch inner liners must be removed. Radio aerials must be removed. The existing heat shields between the exhaust and the bodysell may be removed; it is recommended that heat reflective material is placed between the fuel cell and the exhaust. No other alterations to standard are permitted.
- 5.6.8 **Interior** rear view mirror must be fitted to the left of the driver. It is advised to fit a 17" convex interior mirror to improve the driver's rear view.
- 5.6.9 **Silhouette:** No alterations to standard.
- 5.6.10 **Ground Clearance:** It is permitted to alter the ride height. Under no circumstance can any part of the bodywork or of the suspended part of the car be below a horizontal plane passing 75mm above the ground, the car being in normal racing trim with the driver aboard. A gauge of 75mm may be used by Scrutineers before or after races or practice to check the ground clearance. The lower strut brace, mandatory on all cars from 2020 onwards is not included in the area defined as below a horizontal plane passing 75mm above the ground (see Regulation 5.8.1).
- Competitors may also be required to drive through a 'goal post' style device to ensure that ground clearance regulations are complied with.
- 5.6.11 **Modifications Prohibited:**
- General:** The exterior of the car must be standard. Any replacement body panels must be of original shape, material and thickness. No modifications (other than those specifically permitted in 5.6.1, above) may be made to or material removed from the bodywork or any of its panels including internal stiffeners other than as repairs; exterior trim must be generally standard. With the exception of the driver's name being displayed on the rear side and rear windows in letters not exceeding 10cms high, no other decals or graphics other than those issued for the championship may be on any of the windows/windcreens. The rubber seal, located on the underside of the bonnet approximately 150mm from the rear edge must be fitted. (Its purpose is to provide a seal to the heater air intake and therefore seal against the passage of flame into the interior of the car in the event of a fire.)
- 5.6.12 **Interior:** Any in contravention of 5.6.2.
- 5.6.13 **Exterior:** It is not permitted to increase the width of the wheel arch by the addition of material to, or the deformation of, the outside or inside of the wheel arch. Additional holes for any purpose including cooling, break ducting, air intake etc. may not be made in the bodywork. Bonnet / engine cover must remain in the normal position and, when closed, must not have any non-standard gaps at any of their edges. Both standard front windscreen wipers must be retained in their standard position and be fully working. The wiper motor cover should be fitted. The standard washer bottle should be removed to prevent contact with the tyre. Tailgate support struts & fittings must be retained. Fitment of tape, sealant or addition of any material of any type to close body gaps (e.g. bonnet to wing) is prohibited. Bonnet securing pins are to be surface mounted, not recessed.
- 5.6.14 **Silhouette:** Any in contravention of 5.6.9.
- 5.6.15 **Ground Clearance:** Any in contravention of 5.6.10.

5.7 ENGINE (Also refer to 5.1, 5.9 & 5.18)

All engines must be built or re-built and sealed by the Junior Saloon Car Championship Ltd in order to be eligible to compete in 2021 and beyond. Please contact the Championship Administrator for details.

5.7.1 Sealing Requirements:

Before competing in any Championship event the Entrant is responsible for ensuring that the both the engine and gearbox are carrying identifying seals applied by the Junior Saloon Car Championship Ltd or an Motorsport UK Licenced Scrutineer further details are in section 6 of these regulations and 5.1 above under 'Sealing of Components'. Gearboxes that are fitted with unbroken seals from the previous season do not require new seals but for the avoidance of doubt remain subject to all the sealing requirements of these Regulations.

The sealing requirement extends so that it is the responsibility of the Entrant to have any engine or gearbox re-sealed after a scrutineering examination of any nature under these Regulations before the vehicle competes again i.e. if the vehicle is examined after any qualifying or race and the seal(s) is/are broken for that purpose then the relevant component must be re-sealed before it will be permitted to compete and if it is so examined after the final race of an event then it is the Entrant's responsibility to ensure that the relevant components have all been resealed after examination and before the vehicle is used again in any competitive element of the Championship (subject only in any case to any Judicial actions and direction of the Clerk of the Course or the Stewards of the Meeting). If the vehicle leaves any event in an unsealed condition then it must be resealed before it is presented for pre-event scrutiny at the next event in which the vehicle competes.

Any problem at an event or otherwise in obtaining re-sealing or sealing shall be reported by the Entrant direct to the Championship Clerk of the Course and the Championship Administrator.

If an Entrant requires a vehicle's components to be re-sealed otherwise than at an event then the Entrant must pay the reasonable costs and expenses of the relevant scrutineer or Championship Administrator at the then current rates indemnified by Motorsport UK.

5.7.2 General Provisions:

The only modifications permitted to engines are those listed in the paragraph "1. Modifications Permitted" below; if the following texts do not clearly specify that you can do it, you must work on the principle that you cannot. It is the competitor's responsibility to ensure that no prohibited modifications have been carried out, even if they are using an engine not assembled by them.

Two types of engine are permitted: Mk1 Non Roller Rocker and Mk2 Roller Rocker. Each engine must be built entirely of that mark i.e. one CANNOT mix and match engine parts from one mark to another. Standard parts will be supplied by Junior Saloon Car Championship Limited and kept by the Scrutineer for direct comparison. Engine choice must be made clear at registration.

5.7.3 Modifications Permitted:

- a) Bore and stroke must remain as standard.
- b) It is permitted to replace valves, valve guides and valve seats with standard or standard pattern parts (refer to definitions in 5.1.2 & 5.1.3).
- c) The camshaft is a specific Championship profile, only available from the Championship Administrator, is the only camshaft permitted and must be purchased via the Championship Administrator.

5.7.4 Modifications Prohibited:

- a) Any modifications other than those permitted in 5.7.
- b) The Championship profile camshaft must remain entirely unmodified; it is not permitted to regrind or reprofile the camshaft; camshaft timing must be optimised by the addition of a Vernier pulley.
- c) The standard cambelt cover/s must be retained.

- d) No material may be added to or removed from the cylinder head other than refacing (refer to the table in section 6 of these regulations for minimum head thickness).
- e) Inlet and exhaust ports may not be modified in any way and must remain as cast.
- f) Valve seat dimensions must be as standard.
- g) Balancing of reciprocating components is not permitted.
- h) For the sake of clarity, pistons may not protrude above the block face and pistons must remain as standard in all respects.
- i) Baffles in the sump are not permitted

5.7.5 **Location:**

Position, mounting method and mounts must be standard. It is permitted to use an uprated poly bush within the standard lower engine mount only.

5.7.6 **Oil/Water Cooling:**

Either the Saxo VTS standard radiator OR the standard UK specification non-aircon water radiator must be in the standard position with no additional air ducting or holes in the outer or inner bodywork. Radiators from alternative suppliers may be used but must be identical in dimensions and form to the standard Citroen parts. An oil cooler is permitted if fitted as standard, but must be fitted in the standard position; if none is fitted as standard an oil cooler may be fitted within the overall periphery of the engine bay; no additional air ducts or holes are permitted.

5.7.7 **Induction Systems:**

The complete standard induction system must be fitted in its entirety; it is not permitted to add any covering, whether heat-reflective/heat-resistant or not, to the inside or outside of any part of the induction system and the whole system must remain standard for the year of vehicle registered. Air filter elements may be removed or replaced by non-standard filter elements inside the standard casing. It is permitted to fit the air temperature sensor in the position shown in the following image when using the later version of the standard Saxo air box. Standard fuel injectors must be retained; any butterfly damper weight on the throttle body may not be removed. No other modifications are permitted. The crankcase breather may vent direct to a catch tank instead of into the induction but any holes in the air filter housing/induction associated with the breather system must be blanked off.

Exhaust systems must exit at the rear of the vehicle. Exhaust systems may not pass through the driver/passenger compartment. Standard exhaust manifold and front pipe (Citroen Pt. No. 170566) must be retained and may not be modified. Except in the case of Mk2 engines, where the position of the lambda sensor may be changed to clear the remote filter and sensor wiring. An exhaust catalyser is mandatory; either the integral catalyser may be retained or it may be replaced with a 'sports' type catalyser. The remainder of the exhaust system including silencer is free but no part of the manifold, piping or silencer may have any covering or lagging, whether heat resistant, heat reflective or not apart from it is permitted to fit a shield or to wrap the exhaust in the area directly next to the plastic oil filter housing to prevent it distorting and or melting.

5.7.8 **Ignition Systems:**

The Championship Administrator will supply mandatory control ECUs for each event and which must be used for untimed and timed practices and race/s. It is imperative that the immobiliser is disabled to prevent lock-out of the ECU. The ECUs will be available for collection for the first untimed practice and must be returned at the end of the meeting without fail. It is the competitor's responsibility to collect and return the ECU. No modifications are permitted to the ECU as issued and the seals as fitted when issued may not be broken. Any ECU damaged between issue and return will be charged to the competitor at replacement cost. The diagnostic connector in the passenger footwell must be accessible and operational. All engine management components as originally fitted are to remain in their original location and be fully operational.

Any ECU not returned will result in a fine of £250 payable by the Entrant to Junior Saloon Car Championship Ltd and may incur a deduction in championship points.

5.7.9 **Fuel Delivery Systems:**

It is permissible to replace only the fuel pump, fuel lines, and filter with non-standard items. Safety Fuel tank as per 5.3.9 is mandatory. It is recommended that the optional fuel cell inner baffle be fitted to avoid surge and that a high flow fuel filter be fitted to avoid injector problems. The fuel pump inertia cutout switch, located under the bonnet next to the top mounting for the nearside front suspension strut, should be disabled to prevent unwanted operation. The Purge canister and associated wiring, brackets and pipes may be removed. Fuel regulator must be standard.

5.8 **SUSPENSIONS:**

5.8.1 **Permitted Modifications:**

It is permitted to alter the ride height within the constraints of 5.6.10. The original suspension configuration must be retained. Castor angle must be within the standard parameters.

Front suspension must only utilise the standard Citroën Saxo VTR suspension strut with the Championship- specification GAZ damper insert and the JSCC specified upper and lower strut braces must be fitted; rear dampers may only be the Championship specification GAZ adjustable units. These units will be sealed and must be purchased direct from GAZ Shocks (01268 724585). Each front damper may be fitted with one (only) Citroen Saxo VTR bump-stop which may only be modified by the removal of material. Front spring rate is free provided the standard mean spring diameter is retained and the spring is made from one continuous length of wire. The standard rear torsion bars must be retained and may not be modified, but may be re-positioned in order to adjust the ride height. Standard anti-roll bars must be retained and be properly connected. It is permitted to replace the front anti-roll bar bushes with aftermarket polyurethane bushes. Standard chassis bump-stops must be fitted in the standard position.

5.8.2 **Prohibited Modifications:**

No bump-stops of any description may be fitted to the rear dampers. No bump-stops of any description may be fitted to the front dampers other than the one permitted in 5.8.1. Modifications to the suspension pick-up points are prohibited; this includes the 'slotting' of top suspension strut mounting points. Adjustable anti-roll bars are prohibited. Offset and/or adjustable suspension strut mounts are prohibited. Adjustable spring platforms and hub-carrier brackets are prohibited, even if the adjustability is disabled. Non-standard suspension bushes are prohibited; rose joints, rod ends or similar are prohibited. Any modification that prevents a wheel from reaching its fully drooped position is prohibited. It is not permitted to fit any spacer, helper spring or similar above, below or to the front spring.

Rear Axle: The standard washer only must be retained under each of the four axle mounting points; no additional washers or spacers may be fitted.

5.8.3 **Wheelbase / Track:**

The wheelbase and track must be standard.

5.9 **TRANSMISSIONS:**

5.9.1 Before competing in any Championship event, the engine and gearbox must be sealed; further details are in section 5.7 and section 5.18 of these regulations.

5.9.2 Standard gearbox and final drive/axle must be retained. The standard clutch cover and plate must be retained. Standard gear linkages must be retained. Alternatively, JSCC specification fixed length gear linkages may be used. These are identified with JSCC holographic labelling and can be purchased from the Championship Administrator.

5.9.3 Gearbox casing, bell housing must be standard. Final drive housing (if applicable) must be standard. Limited slip, locked, locking, torque biasing differentials or similar are prohibited. The use of any electronic traction control device is prohibited. Gearbox ratios and final drive ratio must be as per the table in 5.18.5. It is permissible to stitch weld the crown wheel to the differential.

5.10 ELECTRICS:

- 5.10.1 All external lighting must be as per standard fitment and to EC requirements and be fully operational; however, the side indicator repeater lights may be removed and the resulting holes in the wings must be blanked off. Lights must be taped to Motorsport UK regulations.
- 5.10.2 The manufacturer fitted rear fog light must be disabled.
- 5.10.3 An LED rear fog light to EU regulation 7, an FIA homologated LED rear warning light, or an LED stop light to EU regulation 38 is mandatory and must be fitted within 10cms of the centreline of the rear window and be located between the top and bottom edge of the glass.
- 5.10.4 Two additional rear brake lights must be placed in the rear tailgate window facing rearwards along with an additional brake light to be fitted to the dash-board within visibility of the forward facing on-board camera. These additional lights must be working in conjunction with the standard brake lights at all times. These additional lights may only be purchased from JSCC.
- 5.10.5 There are no restrictions on battery type subject to Motorsport UK regulations; location must be as standard. A battery and electric starter motor must be fitted and be capable of repetitive starts. The battery positive terminal must be completely covered with no metal showing. The negative lead should be identified by a yellow marker or covering.
- 5.10.6 No external (slave) batteries may be used.
- 5.10.7 The standard alternator with standard pulleys must be fitted be fully working and electrically connected so that the standard battery charging function is providing a charge to the onboard battery.
- 5.10.8 The standard wiring loom must be retained and used.
- 5.10.9 Rear wiper motor is optional but must be working if fitted. The wiring must be retained and the wiper must be fully functional (if fitted).
- 5.10.10 Rear washer and associated pipework and wiring may be removed.
- 5.10.11 The horn is optional but its wiring must be retained.
- 5.10.12 The central locking mechanisms including locking motors and associated wiring must be removed; the standard door latching mechanism must be retained.
- 5.10.13 The central locking controller alarm and immobiliser with their associated wiring and brackets must be removed along with the check straps.
- 5.10.14 No non-standard sensors are permitted

5.11 BRAKES:

- 5.11.1 The standard manufacturer system must be retained but is subject to the following Permitted and Prohibited modifications. Only Mintex brake pads with JSCC branded backing plates may be used. These are available to purchase directly from the Championship Administrator:
- 5.11.2 Permitted Modifications:
 - a) Fitting of metal-braided brake hosing is mandatory
 - b) Non-standard linings.
 - c) Deformation or removal of back plates.
 - d) Additional brake ducting may be fitted connecting to holes designed originally to mount front fog lights but for the avoidance of doubt no additional or non-standard holes apertures slots louvres or vents can be created in any part of the bodywork.
 - e) Discs and drums may be replaced by standard-pattern parts, available from the Championship Administrator, but may not be cross-drilled or grooved.
 - f) The friction faces only of the discs may be reclaimed by simple machining maintaining a minimum disc thickness of 18.00 mm front, 7.00mm rear.

- g) The standard brake biasing valve/system must be retained and may be modified (to prevent rear brake locking) by the removal of the large external spring; it may not be replaced with any pressure-limiting valve or device.
- h) Brake pipes may be run inside the car.

5.11.3 Prohibited Modifications:

- a) A hydraulically-operated handbrake is not permitted in that it does not comply with MOT requirements.
- b) The use of discs which are grooved, cross-drilled, radially drilled or modified in any other way is not permitted except for the machining of the friction faces as specified in 5.11.1.
- c) No modification may be made to the non-friction area of the disc/bell.

5.12 WHEELS/STEERING:

5.12.1 Permitted Options/Modifications:

Wheels must be standard Citroën Saxo VTR alloy wheels. Simple 'clean-up' machining/polishing and painting for refurbishment purposes only is permitted to the outer face of the wheel. No machining at all is permitted to any other part of the wheel. Wheels should be fitted with short tyre valves that do not extend beyond the rim.

Steering: The standard power-steering rack, pump and associated pipework and wiring may be removed and replaced with a non power-steering rack.

5.12.2 **Steering Lock:**

The standard steering column lock and ignition key must be removed and be replaced with an ignition on/off switch and a starter button within reach of the driver when seated and belted in.

5.12.3 Prohibited Options/Modifications:

Any other options or modifications are prohibited.

5.12.4 Construction & Materials:

Not applicable; standard 14" x 7" wheels must be used.

5.13 TYRES:

5.13.1 **Specifications:**

- a) Dunlop 185/55R14. DZ03G H1
- b) Tyres must be road-legal in every respect including tread depth and must comply at all times including post race scrutineering.
- c) The use of tyre heating/heat retention devices, tyre treatments and compounds is prohibited.
- d) No alteration to the tyre from the manufacturer's specification is permitted.
- e) Re-cutting, re-grooving or in any other way modifying the tread pattern is not permitted.
- f) All the manufacturer's data must be clearly visible. Buffing of sidewalls to remove data is prohibited.
- g) Restricted to 8 new tyres at the first meeting (4 dry - with barcodes and 4 wet - without barcodes) and thereafter 2 new tyres per meeting. Only 6 tyres can be nominated for Qualifying and Races and this must be done before qualifying begins. The 4 Wet tyres issued at the first meeting will come without a barcode and these tyres can be used without any judicial penalty if the Clerk of the Course declares the Qualifying or Races as "Wet Sessions".
- h) Competitors are responsible for the nomination of tyres and failure to do so may result in disqualification.

5.13.2 Nominated Manufacturer:

Dunlop is the nominated tyre manufacturer. The Organisers reserve the right to require proof of purchase/supply.

5.14 VEHICLE WEIGHTS:

5.14.1 A minimum weight excluding driver with no additional ballast in the car, is 830kg. The minimum weight including driver and race overalls, helmet etc. is 940kgs which may be achieved by the addition of ballast.

5.14.2 Units of ballast are to be strong and unitary blocks, fixed by means of tools with the possibility of affixing seals by scrutineers. Any ballast required must be attached to the shell on the inside of the car to the front or rear passenger floor via at least 4 mounting points using bolts with a diameter of 8mm; there must be steel 'washers' of at least 400 sq mm surface area and 3mm thickness between the bolt head and the underside of the floor and between the top of the ballast weights and the retaining nuts.

5.14.3 When the car is scrutineered at its first race of the season, it should be presented without ballast, ballast mounting 'washers' or mounting bolts. It will be weighed to ensure that it complies with the minimum weight of 830kgs. The ballast, along with counter-plates and mounting bolts will then be fitted, in the presence of the scrutineer or his nominee, by the driver/entrant and the car will be weighed with driver and their full race kit (overalls, helmet etc.) to ensure compliance with the minimum combined weight of 940kgs. Once that has been done, the ballast will be sealed in place by the scrutineer. Removal of or tampering with any of these seals is prohibited without the prior written consent of the Organisers or the Championship eligibility scrutineer. Random checks will be made of these seals during the season. If at any time seals are found to be missing, broken or have been tampered with, the car will be considered to be ineligible and the competitor will be disqualified from the results of all races up to that point. Checks may be carried out after qualifying or race.

5.14.4 Following a race, the driver must remain available with the car under Parc Fermé conditions until released by Scrutineers, in order to ensure weighing is completed with the minimum of delay. Drivers who are required for post race prize giving and / or media interviews, and who are directed from Parc Fermé by an official of the meeting, are permitted to leave Parc Fermé accompanied by their responsible adult, although must return to their car after such events have taken place to ensure scrutineering is completed.

5.14.5 If a car loses a part during qualifying or a race, the weight of that part may be taken into account during eligibility checks. Following consultation with the championship organisers, the Championship Eligibility Scrutineer will determine whether any lost part should be taken into account.

5.14.6 There is no allowance for topping-up of any fluids. If any vehicle is underweight when checked, penalties as per 4.1 of these regulations will be applied.

5.15 FUEL TANK/FUEL:

5.15.1 Types:

The only permitted fuel tank is that specified in 5.3.9. The standard tank must be removed.

5.15.2 Location and fitment:

The fuel tank must be located as per the diagram available from the Championship Administrator. Fuel lines must be in accordance with Motorsport UK regulation J5.13 and a drain to the outside of the vehicle, in accordance with Motorsport UK regulation J5.13, must be incorporated. No seal is required between the lid and the tank housing. The fuel breather pipe should be routed through the boot floor to the rear of the tank. The standard fuel tank pipework may be removed.

5.15.3 Fuel:

The Organisers reserve the right to introduce a mandatory Championship control fuel during the course of the Championship. Until such notification is given by bulletin only petrol as defined in Section B Nomenclature & Definitions, Pump Fuel section of the Motorsport UK Yearbook for the current year and complying with BSEN228 may be used; fuel which exceeds the stated RON (max) levels in Appendix 1 of Section B Nomenclature & Definitions is prohibited even if it is sold/promoted as being legal for UK Competition and/or obtainable from 'roadside' pumps. The use of additives by competitors which boost the octane rating (RON) in any petrol is prohibited. At the end of practice and the race at least 3 litres of petrol from the tank of the competing car must be available to the scrutineers for analysis. Compliance with minimum weight for the car will be taken before the petrol is removed.

5.16 SILENCING:

All vehicles must comply with the relevant maximum noise limits set out in Motorsport UK Yearbook section J. Appendix 1, Chart 5.18.

5.17 NUMBERS/DECALS:

5.17.1 Positions:

Generally, refer to diagram available from the Championship Administrator and note that Race numbers must only be displayed on each rear side window (Helvetica Condensed Ex Bold 243mm high) and windscreen of the vehicle (150mm high) in accordance with Q.11.4 & Q.11.5. Championship decals (where applicable) must be affixed in or near the positions detailed by the Organisers. BARC and Championship decals must take preference to all other decals. Failure to comply will render the vehicle and driver ineligible to race.

5.17.2 Suppliers:

Championship and BARC decals will be available no later than at the first championship race in which the vehicle is entered. Only official decals supplied by the BARC and the Junior Saloon Car Championship directly can be used.

5.18 ADDITIONAL INFORMATION:

5.18.1 In addition to Q13.1.3, it is strongly recommended that all cars must, wherever possible, be equipped with two front and two rear towing eyes positioned equally either side of the longitudinal centre-line. They must be clearly visible, marked with an arrow and the word "tow" and the wire painted in yellow, red or orange to contrast with the vehicle colour scheme.

The towing eyes must be made of at least 6mm diameter steel wire rope with a 6x19 wire core, each which must have a breaking-strain of at least 2 tons. Each towing eye must allow the passage of a cylinder with a diameter of 60 mm, situated 25mm forward of the adjacent bodywork - 100 mm above and below this hole must retain clearance to enable the recovery crews to attach straps and shackles.

The towing eye must be fixed to a structural part of the chassis with a minimum of M12 fixings, the inner part must be flexible in order for the towing eye to be retracted inside the bodywork profile. A "pull-cord" must be attached to the towing eye to enable the marshals to access the wire loop. The end attached to the chassis may be either 'thimble' or 'open-loop' style.

5.18.2 **Engine & Gearbox Sealing And Output Testing** – Also refer to sections 5.1, 5.7 and 5.9 above

Sealing:

Engines and gearboxes must always be sealed when presented for pre-event scrutiny and remain sealed throughout all official testing and all competitive use. Basic maintenance of the engine will be possible without disturbing any of the seals.

Before the competitive element of the first Championship event the engine fitted in the car presented must be fitted with a seal applied by Junior Saloon Car Championship Ltd & gearbox fitted in the car presented must be fitted with a seal applied by either the Junior Saloon Car Championship Ltd or a Motorsport UK Licenced Scrutineer. Gearboxes which are fitted with unbroken seals from the previous season do not need re-sealing.

The Championship Eligibility Scrutineer will note all seal numbers at the first event that the vehicle competes in and will check numbers on a regular basis. The removal of or tampering with any of these seals is prohibited without the prior written consent of the Organisers or the Championship Eligibility Scrutineer.

Random checks will be made during the season and if at any time seals are found to be missing, broken or have been tampered with or changed without permission the engine and/or gearbox will be considered to be ineligible and the competitor will be disqualified from the results of all races up to the point that the issue was noted. The matter may also be referred to the Championship Stewards for further action.

Any inspections of a sealed engine or gearbox will be carried out under the control of a Motorsport UK Licensed Eligibility Scrutineer and measurements will be taken and recorded by them.

Output Testing:

At the first Championship Event and at any subsequent Event selected by the Organisers cars may prior to any competitive element be the subject of a dynamic rolling road test on the Championship mobile Rolling Road facility at the event. This will be conducted using the ECU as supplied by the Organisers at the Event. The data gathered will belong to the Organisers. The Organisers reserve the right to publish the results. If any car is considered to exhibit unexpected performance characteristics then it may be the subject of investigation by stripping and examination for the purposes of a declaration of conformity/non- conformity (GR D25.1.8 AND C3.1, 3.2 and 3.4).

5.18.3 Vehicle Presentation:

The presentation of the car is fundamental to the profile of the Championship its sponsors and its audience. Therefore, in considering whether to permit any car to race, at any point during the season, the organisers will regard as paramount the presentation of the car. In taking into account its appearance inherent in which is the standard of its presentation (including interior) they may exclude any car which they consider may prejudice the reputation of the Championship or is otherwise unacceptable. This will include where the car is presented at a race event bearing accident damage sustained at a previous event and which has not been subject to the completion of a full and proper repair.

5.18.4 Additional Eligibility Checks:

The Organisers reserve the right to impound any vehicle immediately after the end of a race and remove it to a secure location where additional checks will be carried out, this process may take up to two weeks. If the car is found to be totally compliant then the Championship will pay all of the expenses involved. However, if the car is found to be non-compliant the Competitor will be responsible for meeting all costs involved which must be paid in full before the car is returned and further participation in the Championship will be denied until the car is proven to be compliant. Depending upon the nature of the non-compliance the Competitor may be disqualified from further participation in the Championship.

The Championship Camber gauge will be the device used for Eligibility checking purposes.

5.18.5 Permitted Dimensions And Other Criteria

Bore: 78.5 to 78.518 mm		Stroke: 82mm		The minimum Cylinder Head thickness (excluding gasket) is 110.15 mm.			
Final Drive	17/61	Gears	1 st - 12/41	2 nd - 20/39	3 rd - 28/38 or 30/41	4 th - 37/39	5 th - 41/35
Rear anti roll bar diameter		22mm		Front anti roll bar diameter		22mm	
Cylinder block must be casting:			NFZ		Minimum block height: 265.13mm		
Front camber	3.0° max negative for the camber of both sides added together.			Rear camber	1°0' +/- 20' negative	Rear toe in	1.49 to 6.39mm
Disc diameter	Front 247 mm maximum.			Rear 248 mm maximum.			
Piston part number: 62863			Min bowl depth 0.058" across complete bowl			Min bowl diameter 2.58"	
Min head gasket thickness 1.6mm							

COMPULSORY	SUPPLIER
Championship Rollcage	Custom Cages - 01327 872855
Sealed GAZ dampers	GAZ Shocks - 01268 724585
Safety Fuel Tank	ATL - 01908 351700 or Fuel Safe - 01527 521050
Dunlop Tyres	
Silkolene Oil	Championship Administrator - 07970 919371
Mintex Brake Pads	Championship Administrator - 07970 919371
JSCC Gear Linkages	Championship Administrator - 07970 919371
Door Foam - Impact 300	Oldhall Performance - 02476 717100
OPTIONS	
Alloy Fabricated Tank Support	Ferguson Motorsport - 07805 808141

- 5.18.6 It is the competitor's responsibility to ensure that the vehicle entered complies with the regulations for the championship, even if they are not the builder or assembler of the vehicle.
- 5.18.7 Competitors who wish to change their class will only be permitted to do this once in each championship year. Having changed, no change back or to any other class is allowed.

6. ADDITIONAL INFORMATION

The following Commercial Regulations are “contractual” between the Entrant and / or Driver and the Organisers and / or Promoters and are not considered by Motorsport UK. Accordingly, the application of these Commercial Regulations by the Organisers and / or Promoters will not be subject to the Judicial processes of either the Championship Stewards and / or the Motorsport UK / MSC.

6.1 DECALS:

- 6.1.1 Championship decals and BARC shields to be fitted as advised by bulletin and generally shall be located / fitted as directed by the Commercial Rights Coordinator from time to time and noting in particular that front & rear number plates, front and rear windscreens and the sills are not free to competitors.
- 6.1.2 Driver's surname should be on rear side windows and rear screen in letters not more than 100mm high. The remainder of the vehicle is free for advertising with the following provisos:
- No additional advertising is permitted on transparent surfaces of the car.
 - The display must not be offensive.
 - It should not interfere with the easy identification of the race numbers.
 - Tobacco related advertising is prohibited.
 - Advertising conflicting with the Championship / BARC and/or any of their sponsors is not permitted, unless with written consent from the conflicting championship sponsor

All Championship decals will be provided to competitors by the Junior Saloon Car Championship.

6.2 SOCIAL MEDIA:

- 6.2.1 Competitors should not make comments upon social media platforms which may in any way be deemed as being derogatory, defamatory, obscene or libellous and should remember that any comments made are in a very public arena and can be seen by possibly more than their intended audience.
- 6.2.2 If, at the sole discretion of the Championship Coordinator, the Championship Administration and the Championship Clerk of the Course, comments made on any social media platform are deemed to breach acceptable standards then action will be taken against the Competitor concerned. The three named above will decide upon what action should be taken and inform the competitor accordingly in writing. As a minimum the competitor will be instructed to remove the offending statements and in addition further penalties may be applied which will fall within the range given below:
- Formal Reprimand
 - Fine to a maximum of £5,000
 - Loss of championship points
 - Disqualification from all or part of the Championship
- 6.2.3 Failure to remove the post or pay a fine imposed will result in any future entry being held in abeyance until the terms of the penalty are met in full.
- 6.2.4 Competitors are reminded that in accordance with H32.1.10 all competitors, as Entrants, are responsible for the actions of all of those associated with the entry. Therefore, that includes mechanics, family and friends who are linked to the competitor in any way and hence adverse comments made by any of these, not just the driver, could lead to the competitor being prevented in taking part in the Championship.

6.3 SAFEGUARDING:

- 6.3.1 BARC recognises the responsibility of all those involved in Motor Sport to safeguard and promote the wellbeing of both young and vulnerable individuals with whom they are working. It emphasises the value of working closely in partnership with all others involved to protect young

and vulnerable individuals from harm and discrimination. It acknowledges that abuse can take place in sport and that raising awareness and understanding of the main forms of abuse and establishing communication and reporting procedures if abuse is suspected, will further safeguard all within Motor Sport.

- 6.3.2 A number of officials within the club are appointed as safeguarding officers and they are available to deal with problems which may arise or are brought to their attention. Issues can be raised by talking to the senior clerk of the course at an event or contacting a safeguarding officer whose details can be found on the BARC website.

6.4 RACE ORGANISING CLUBS AND CONTACTS:

BARC, Thruxton Circuit, Andover, Hampshire. SP11 8PN

Tel: 01264 882200

Fax: 01264 882233

E-mail: competitions@barc.net

Championship Co-Ordinator:

Name: David Wheadon

Tel: 01264 882209

Email: dwheadon@barc.net

Eligibility Scrutineer:

Name: Keith Auld

Email: keith.auld@btinternet.com

Junior Saloon Car Championship Ltd:

Co No: 08886688

Ashton House, Ashton Lane, Sale, Manchester, M33 6WT

Championship Administrator

Name: David Beecroft

Email: davidbeecroft@icloud.com

7. RACE 'N' RESPECT'

THE RACING CODE

Volunteer Officials' & Organisers Commitments:

I will:

- Recognise that there are different groups within the racing family and treat them appropriately
- Create a welcoming, friendly and safe environment for everyone
- Treat every competitor fairly and encourage others to do so
- Recognise that as a representative of the sport, I have a duty to be polite and treat racers, volunteers and supporters with respect

Parents & Guardians Commitments:

I will:

- Encourage my young driver to have fun and enjoy racing
- Not put pressure on my young driver to take part
- Not impose my own ambitions on my young driver
- Not expect my young driver to win and recognise that the benefits of junior racing lie in the skill acquisition and not about winning events and championships
- Not criticise my young driver when they make mistakes
- Never encourage my young driver to break or bend the rules
- Respect other competitors and their families and applaud their success
- Respect the decisions of the officials at all times

Competitors' Commitments:

I will:

- Race for enjoyment
- Try my best at all times
- Race fairly
- Be polite and treat everyone with respect
- Not show off if I win
- Not get upset if I don't win

Teams' Commitments:

We:

- Accept that racing is primarily about enjoyment
 - Will not put pressure on young racers to achieve results
 - Will recognise that junior racing is about skill acquisition, not about winning events and championships
 - Will never speak or behave inappropriately.
 - Will encourage all racers to respect the rules and the authority of the officials
 - Will never encourage a racer to break or bend the rules, nor to drive in a manner that could cause injury to themselves or others
 - Will recognise this is not Formula 1
- www.motorsportuk.org/respect